

# SAFETY DATA SHEET

Creation Date 04-April-2022

Revision Date 17-October-2022

**Revision Number** 2

### **1. Identification**

#### **Product Name**

FuGENE 6 Transfection Reagent

F6-1000, F6-5000, F6-BULK

Cat No. :

CAS No Synonyms 64-17-5 Ethyl alcohol

Recommended Use Uses advised against

Laboratory chemicals. Food, drug, pesticide or biocidal product use.

#### Details of the supplier of the safety data sheet

Company Fugent LLC 1600 Aspen Commons, #101 Middleton, WI 53562 Tel: (608) 628-7772

#### **Emergency Telephone Number**

CHEMTREC, Inside the USA: 800-424-9300 CHEMTREC, Outside the USA: 001-703-527-3887

## **2.** Hazard(s) identification

#### Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids Serious Eye Damage/Eye Irritation

Category 2 Category 2

#### Label Elements

Signal Word Danger

#### **Hazard Statements**

Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. Harmful if swallowed



#### **Precautionary Statements**

#### Prevention

Keep Away from heat, sparks, and open flames.

No smoking.

Keep container tightly closed.

Avoid breathing vapors.

Wear eye protection

Wear hand protection,

Wear protective clothing

#### Response

IF exposed or concerned: Get medical attention/advice

#### Inhalation

IF INHALED: Remove victim to fresh air and keep comfortable for breathing

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists seek medical attention.

#### Hazards not otherwise classified (HNOC)

WARNING. Cancer and Reproductive Harm - https://www.p65warnings.ca.gov/.

## **3. Composition/Information on Ingredients**

	Component	CAS No	Weight %	
	Ethyl alcohol	64-17-5	70-90	
		4. First-aid measures		
General Advice	lf sym	ptoms persist, call a physician.		
Eye Contact		Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get medical attention.		
Skin Contact		off immediately with plenty of water for at least 15 minutes. If skin irritation persists, physician.		
Inhalation	Remo	Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if		

Most important symptoms and effects Notes to Physician	None reasonably foreseeable. Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting Treat symptomatically
Ingestion	Clean mouth with water and drink afterwards plenty of water.
	symptoms occur.

symptoms occur

### 5. Fire-fighting measures

Suitable Extinguishing Media	Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may be used to cool closed containers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point	<=21 °C (<= 70 °F)
Method -	No information available
Autoignition Temperature	425 °C / 797 °F
Explosion Limits Upper Lower Sensitivity to Mechanical Impac Sensitivity to Static Discharge	15 vol % 3.5 vol % t No information available No information available

#### **Specific Hazards Arising from the Chemical**

Flammable. Risk of ignition. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated. Thermal decomposition can lead to release of irritating gases and vapors. Keep product and empty container away from heat and sources of ignition. Vapors may form explosive mixtures with air.

#### **Hazardous Combustion Products**

Carbon monoxide (CO). Carbon dioxide (CO<sub>2</sub>).

#### **Protective Equipment and Precautions for Firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

NFPA Health 2	Flammability 3	<b>Instability</b> 0	<b>Physical hazards</b> N/A
	6. Accidental re	lease measures	
Personal Precautions		uipment as required. Ensure ac ecautionary measures against	dequate ventilation. Remove all
Environmental Precautions		ater or sanitary sewer system.	static discharges.
Methods for Containment and C Up		nt material. Keep in suitable, clo ion. Use spark-proof tools and	
	7. Handling	and storage	
Handling	Wear personal protective e	equipment/face protection. Ens	sure adequate ventilation. Avoid

Handling	Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Do not get in eyes, on skin, or on clothing. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools. To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.
Storage.	Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from

heat, sparks and flame. Flammables area. Incompatible Materials. Strong oxidizing agents. Strong acids. Acid anhydrides. Acid chlorides.

### 8. Exposure controls / personal protection

#### Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Ethyl alcohol	STEL: 1000 ppm	(Vacated) TWA: 1000 ppm	IDLH: 3300 ppm	STEL: 1000 ppm
		(Vacated) TWA: 1900 mg/m <sup>3</sup>	TWA: 1000 ppm	
		TWA: 1000 ppm	TWA: 1900 mg/m <sup>3</sup>	
		TWA: 1900 mg/m <sup>3</sup>		

#### <u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures	Ensure adequate ventilation, especially in confined areas. Use explosion-proof electrical/ventilating/lighting equipment. Ensure that eyewash stations and safety showers are close to the workstation location.
Personal Protective Equipment	
Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.
Hygiene Measures	When using do not eat, drink or smoke. Provide regular cleaning of equipment, work area and clothing.

9. Physical and chemical properties				
Physical State	Liquid			
Appearance	Clear, Colorless			
Odor	sweet, Characteristic			
Odor Threshold	No information available			
рН	No information available			
Melting Point/Range	-114 °C / -173.2 °F			
Boiling Point/Range	78 °C / 172.4 °F			
Flash Point	<=23 °C / <=73 °F			
Evaporation Rate	No information available			
Flammability (solid,gas)	Not applicable			
Flammability or explosive limits				
Upper	15 vol %			
Lower	3.5 vol %			
Vapor Pressure	No information available			
Vapor Density	No information available			
Specific Gravity	0.80			
Solubility	Soluble in water			
Partition coefficient; n-octanol/water	No data available			
Autoignition Temperature	363 °C / 685.4 °F			
Decomposition Temperature	No information available			
Viscosity	No information available			

Molecular Formula	C2 H6 O	
Molecular Weight	46.07	

## **10. Stability and reactivity**

Reactive Hazard	None known, based on information available
Stability	Stable under normal conditions.
Conditions to Avoid	Keep away from open flames, hot surfaces and sources of ignition. Incompatible products.
Incompatible Materials	Strong oxidizing agents, Strong acids, Acid anhydrides, Acid chlorides
Hazardous Decomposition Products	s Carbon monoxide (CO), Carbon dioxide (CO <sub>2</sub> )
Hazardous Polymerization	Hazardous polymerization does not occur.
Hazardous Reactions	None under normal processing.

## **11. Toxicological information**

Acute Toxicity

## Product Information

Component	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	LD50 = 10470 mg/kg OCED 401 (Rat) 3450 mg/kg ( Mouse )	Not listed	LC50 = 117-125 mg/l (4h) OECD 403 (rat) 20000 ppm/10H (rat)
oxicologically Synergistic roducts	No information available		

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Irritating to eyes

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component	CAS No	IARC	NTP	ACGIH	OSHA	Mexico	
Ethyl alcohol	64-17-5	Not listed	Known	A3	Not listed	A3	
IARC (Internationa	al Agency for Resea	rch on Cancer)			Research on Cancer)		
NTP: (National Toxicity Program)			Group 2A - Group 2B - NTP: (Natio Known - Kn	Group 1 - Carcinogenic to Humans Group 2A - Probably Carcinogenic to Humans Group 2B - Possibly Carcinogenic to Humans NTP: (National Toxicity Program) Known - Known Carcinogen Reasonably Anticipated - Reasonably Anticipated to be a Human			
ACGIH: (American Conference of Governmental Industrial Hygienists)			A1 - Known A2 - Suspec A3 - Animal	Carcinogen A1 - Known Human Carcinogen A2 - Suspected Human Carcinogen A3 - Animal Carcinogen ACGIH: (American Conference of Governmental Industrial Hygienists)			
OSHA: (Occupational Safety & Health Administration)				Health Administration			
Mexico - Occupational Exposure Limits - Carcinogens		Mexico - Oc A1 - Confiri A2 - Suspe A3 - Confiri A4 - Not Cla	cupational Exposure ned Human Carcino cted Human Carcino ned Animal Carcinog assifiable as a Huma spected as a Humar	gen gen n Carcinogen	5		
tagenic Effects		Mutagenic effects h		,			

Reproductive Effects	No information available.
Developmental Effects	Substances known to cause developmental toxicity in humans.
Teratogenicity	Teratogenic effects have occurred in humans.
STOT - single exposure STOT - repeated exposure	None known None known
Aspiration hazard	No information available
Symptoms / effects,both acute and delayed	Inhalation of high vapor concentrations may cause symptoms like headache, dizziness, tiredness, nausea and vomiting
Endocrine Disruptor Information	No information available
Other Adverse Effects	Tumorigenic effects have been reported in experimental animals.

**12. Ecological information** 

#### Ecotoxicity

Contains a substance which is:. Toxic to aquatic organisms. The product contains following substances which are hazardous for the environment.

Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea		
Ethyl alcohol	EC50 (72h) = 275 mg/l (Chlorella vulgaris)	Fathead minnow (Pimephales promelas) LC50 = 14200 mg/l/96h	Photobacterium phosphoreum:EC50 = 34634 mg/L/30 min Photobacterium phosphoreum:EC50 = 35470 mg/l /5 min	0		
ersistence and Degradability Persistence is unlikely based on information available.						

**Bioaccumulation/ Accumulation** 

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

Component	log Pow
Ethyl alcohol	-0.32

#### **13. Disposal considerations**

 Waste Disposal Methods
 Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

14. Transport information				
DOT				
UN-No	UN1170			
Proper Shipping Name	ETHANOL			
Hazard Class	3			
Packing Group	Ш			
TDG				
UN-No	UN1170			
Proper Shipping Name	ETHANOL			
Hazard Class	3			
Packing Group	Ш			
IATA				
UN-No	UN1170			
Proper Shipping Name	ETHANOL			
Hazard Class	3			

	15 D
Packing Group	II
Hazard Class	3
Proper Shipping Name	ETHANOL
UN-No	UN1170
IMDG/IMO	
Packing Group	II

### **15. Regulatory information**

#### United States of America Inventory

Component	CAS No	TSCA	TSCA Inventory notification - Active-Inactive	TSCA - EPA Regulatory Flags
Ethyl alcohol	64-17-5	Х	ACTIVE	-

#### Legend:

**TSCA** US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710) X - Listed '-' - Not Listed

**TSCA 12(b)** - Notices of Export Not applicable

#### International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

Component	CAS No	DSL	NDSL	EINECS	PICCS	ENCS	ISHL	AICS	IECSC	KECL
Ethyl alcohol	64-17-5	Х	-	200-578-6	Х	Х	Х	Х	Х	KE-13217

KECL - NIER number or KE number (http://ncis.nier.go.kr/en/main.do)

#### U.S. Federal Regulations

SARA 313	Not applicable
SARA 311/312 Hazard Categories	See section 2 for more information
CWA (Clean Water Act)	Not applicable
Clean Air Act	Not applicable
<b>OSHA</b> - Occupational Safety and Health Administration	Not applicable
CERCLA	Not applicable

#### California Proposition 65

This product contains the following Proposition 65 chemicals. Ethyl alcohol is only a considered a Proposition 65 developmental hazard when it is ingested as an alcoholic beverage.

CAS No	California Prop. 65	Prop 65 NSRL	Category
64-17-5	Development (alcoholic beverages only) Carcinogen	-	Developmental Carcinogen
		64-17-5 Development (alcoholic beverages only)	64-17-5 Development (alcoholic - beverages only)

#### U.S. State Right-to-Know

#### Regulations

Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Ethyl alcohol	Х	Х	Х	Х	Х

<b>U.S. Department of Transportation</b> Reportable Quantity (RQ): DOT Marine Pollutant DOT Severe Marine Pollutant	N N N
U.S. Department of Homeland Security	This product does not contain any DHS chemicals.
Other International Regulations	

Mexico - Grade Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

#### Safety, health and environmental regulations/legislation specific for the substance or mixture

Component	CAS No	OECD HPV	Persistent Organic Pollutant	Ozone Depletion Potential	Restriction of Hazardous Substances (RoHS)
Ethyl alcohol	64-17-5	Listed	Not applicable	Not applicable	Not applicable
Component	CAS No	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification	Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements	Rotterdam Convention (PIC)	Basel Convention (Hazardous Waste)
Ethyl alcohol	64-17-5	Not applicable	Not applicable	Not applicable	Annex I - Y42

16. Other information	
Prepared By	Regulatory Affairs Fugent LLC contact@fugene.com
Creation Date	04-April-2022
Revision Date Print Date	04-April-2022 04-April-2022
Revision Summary	This document has not been revised to date.

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

## **End of SDS**