

William N. Addison, Fereshteh Azari, Esben S. Sørensen, Mari T. Kaartinen, and Marc D. McKee Pyrophosphate Inhibits Mineralization of Osteoblast Cultures by Binding to Mineral, Up-regulating Osteopontin, and Inhibiting Alkaline Phosphatase Activity *J. Biol. Chem.*, May 2007; 282: 15872 - 15883. DOI: [10.1074/jbc.M701116200](https://doi.org/10.1074/jbc.M701116200)

Ahn J, Wong JT, Molday RS. The effect of lipid environment and retinoids on the ATPase activity of ABCR, the photoreceptor ABC transporter responsible for Stargardt macular dystrophy. *J Biol Chem.* 2000;275(27):20399-20405. [doi:10.1074/jbc.M000555200](https://doi.org/10.1074/jbc.M000555200)

Véronique Amiard, Annette Morvan-Bertrand, Jean-Pierre Billard, Claude Huault, Felix Keller, and Marie-Pascale Prud'homme Fructans, But Not the Sucrosyl-Galactosides, Raffinose and Loliose, Are Affected by Drought Stress in Perennial Ryegrass Plant Physiology, Aug 2003; 132: 2218. DOI: [10.1104/pp.103.022335](https://doi.org/10.1104/pp.103.022335)

Pierre-Olivier Angrand, Inmaculada Segura, Pamela Völkel, Sonja Ghidelli, Rebecca Terry, Miro Brajenovic, Kristina Vintersten, Rüdiger Klein, Giulio Superti-Furga, Gerard Drewes, Bernhard Kuster, Tewis Bouwmeester, and Amparo Acker-Palmer Transgenic Mouse Proteomics Identifies New 14-3-3-associated Proteins Involved in Cytoskeletal Rearrangements and Cell Signaling *Mol. Cell. Proteomics*, Dec 2006; 5: 2211 - 2227. DOI: [10.1074/mcp.M600147-MCP200](https://doi.org/10.1074/mcp.M600147-MCP200)

Axelsson J, Ferreira M, Adolfsson L, McCrea K, Ward R, Larm O. Cytokines in blood from septic patients interact with surface-immobilized heparin. *ASAIO J.* 2010;56(1):48-51. [doi:10.1097/MAT.0b013e3181c3fec8](https://doi.org/10.1097/MAT.0b013e3181c3fec8)

Bartsch C, Szabo K, Dinh-Thanh M, Schrader C, Trojnar E, John R. Comparison and optimization of detection methods for noroviruses in frozen strawberries containing different amounts of RT-PCR inhibitors. *Food Microbiol.* 2016;60:124-130. [doi:10.1016/j.fm.2016.07.005](https://doi.org/10.1016/j.fm.2016.07.005)

Bauer N, Škiljaica A, Malenica N, et al. The MATH-BTB Protein TaMAB2 Accumulates in Ubiquitin-Containing Foci and Interacts with the Translation Initiation Machinery in *Arabidopsis*. *Front Plant Sci.* 2019;10:1469. Published 2019 Nov 22. [doi:10.3389/fpls.2019.01469](https://doi.org/10.3389/fpls.2019.01469)

Denis Bayle, Sabine Wängler, Thomas Weitzenegger, Wolfram Steinhilber, Jürgen Volz, Michael Przybylski, Klaus P. Schäfer, George Sachs, and Klaus Melchers Properties of the P-Type ATPases Encoded by the copAP Operons of *Helicobacter pylori* and *Helicobacter felis*. *J. Bacteriol.*, Jan 1998; 180: 317 - 329. PMID: [9440521](https://pubmed.ncbi.nlm.nih.gov/9440521/)

Bertelsen ER, Deodhar G, Kluherz KT, et al. Microcolumn lanthanide separation using bis-(2-ethylhexyl) phosphoric acid functionalized ordered mesoporous carbon materials. *J Chromatogr A.* 2019; 1595:248-256. [doi:10.1016/j.chroma.2019.02.057](https://doi.org/10.1016/j.chroma.2019.02.057)

Miro Brajenovic, Gerard Joberty, Bernhard Küster, Tewis Bouwmeester, and Gerard Drewes Comprehensive Proteomic Analysis of Human Par Protein Complexes Reveals an Interconnected Protein Network *J. Biol. Chem.*, Mar 2004; 279: 12804 - 12811. DOI: [10.1074/jbc.M312171200](https://doi.org/10.1074/jbc.M312171200)

Jan Brix, Klaus Dietmeier, and Nikolaus Pfanner Differential Recognition of Preproteins by the Purified Cytosolic Domains of the Mitochondrial Import Receptors Tom20, Tom22, and Tom70 *J. Biol. Chem.*, Aug 1997; 272: 20730. DOI: <https://doi.org/10.1074/jbc.272.33.20730>

Jan Brix, Stefan Rüdiger, Bernd Bukau, Jens Schneider-Mergener, and Nikolaus Pfanner Distribution of Binding Sequences for the Mitochondrial Import Receptors Tom20, Tom22, and Tom70 in a Presequence-carrying Preprotein and a Non-cleavable Preprotein *J. Biol. Chem.*, Jun 1999; 274: 16522. DOI: <https://doi.org/10.1074/jbc.274.23.16522>

Carrera M, Cañas B, Lopez-Ferrer D. Fast Global Phosphoproteome Profiling of Jurkat T Cells by HIFU-TiO₂-SCX-LC-MS/MS. *Anal Chem.* 2017 Sep 5;89(17):8853-8862. doi: [10.1021/acs.analchem.7b01321](https://doi.org/10.1021/acs.analchem.7b01321).

Demian Cazalla, Kathryn Newton, and Javier F. Cáceres A Novel SR-Related Protein Is Required for the Second Step of Pre-mRNA Splicing *Mol. Cell. Biol.*, Apr 2005; 25: 2969 - 2980. DOI: [10.1128/MCB.25.8.2969-2980.2005](https://doi.org/10.1128/MCB.25.8.2969-2980.2005)

Chakrabarti S, Dudzic JP, Li X, Collas EJ, Boquete JP, Lemaitre B. Remote Control of Intestinal Stem Cell Activity by Haemocytes in *Drosophila*. *PLoS Genet.* 2016;12(5): e1006089. Published 2016 May 27. doi:[10.1371/journal.pgen.1006089](https://doi.org/10.1371/journal.pgen.1006089)

Chen D, Bryden W, McLoughlin M. A Novel System for The Comprehensive Collection of Nonvolatile Molecules from Human Exhaled Breath. 2020. doi:[10.1101/2020.05.14.097113](https://doi.org/10.1101/2020.05.14.097113)

B. K. Choi, B J Paster, F E Dewhirst, and U. B. Göbel Diversity of cultivable and uncultivable oral spirochetes from a patient with severe destructive periodontitis. *Infect. Immun.*, May 1994; 62: 1889 - 1895. DOI: [10.1128/iai.62.5.1889-1895.1994](https://doi.org/10.1128/iai.62.5.1889-1895.1994)

Jae Min Chong and David W. Speicher Determination of Disulfide Bond Assignments and N-Glycosylation Sites of the Human Gastrointestinal Carcinoma Antigen GA733-2 (CO17-1A, EGP, KS1-4, KSA, and Ep-CAM) *J. Biol. Chem.*, Feb 2001; 276: 5804 - 5813. <https://doi.org/10.1074/jbc.M008839200>

Christodoulou A, Yokoyama H. Purification of nuclear localization signal-containing proteins and its application to investigation of the mechanisms of the cell division cycle. *Small GTPases.* 2015;6(1):20-27. doi:[10.4161/21541248.2014.978162](https://doi.org/10.4161/21541248.2014.978162)

Cordero H, Morcillo P, Cuesta A, Brinchmann MF, Esteban MA. Differential proteome profile of skin mucus of gilthead seabream (*Sparus aurata*) after probiotic intake and/or overcrowding stress. *J Proteomics.* 2016 Jan 30;132:41-50. doi: [10.1016/j.jprot.2015.11.017](https://doi.org/10.1016/j.jprot.2015.11.017).

Crowther GJ, Hillesland HK, Keyloun KR, et al. Biochemical Screening of Five Protein Kinases from *Plasmodium falciparum* against 14,000 Cell-Active Compounds. *PLoS One.* 2016;11(3): e0149996. Published 2016 Mar 2. doi:[10.1371/journal.pone.0149996](https://doi.org/10.1371/journal.pone.0149996)

De Pasquale D, Marino A, Tapeinos C et al. Homotypic targeting and drug delivery in glioblastoma cells through cell membrane-coated boron nitride nanotubes. *Mater Des.* 2020;192:108742. [doi:10.1016/j.matdes.2020.108742](https://doi.org/10.1016/j.matdes.2020.108742)

Dedecker M, Van Leene J, De Winne N, et al. Transferring an optimized TAP-toolbox for the isolation of protein complexes to a portfolio of rice tissues. *Plant Mol Biol.* 2016;91(3):341-354. [doi:10.1007/s11103-016-0471-x](https://doi.org/10.1007/s11103-016-0471-x)

Defaus S, Avilés M, Andreu D, Gutiérrez-Gallego R. Identification of Bovine Sperm Surface Proteins Involved in Carbohydrate-mediated Fertilization Interactions. *Mol Cell Proteomics.* 2016;15(7):2236-2251. [doi:10.1074/mcp.M115.057703](https://doi.org/10.1074/mcp.M115.057703)

Dostálová A, Rommelaere S, Poidevin M, Lemaitre B. Thioester-containing proteins regulate the Toll pathway and play a role in Drosophila defence against microbial pathogens and parasitoid wasps. *BMC Biol.* 2017;15(1):79. Published 2017 Sep 5. [doi:10.1186/s12915-017-0408-0](https://doi.org/10.1186/s12915-017-0408-0)

Holger Eubel, Etienne H. Meyer, Nicolas L. Taylor, John D. Bussell, Nicholas O'Toole, Joshua L. Heazlewood, Ian Castleden, Ian D. Small, Steven M. Smith, and A. Harvey Millar Novel Proteins, Putative Membrane Transporters, and an Integrated Metabolic Network Are Revealed by Quantitative Proteomic Analysis of Arabidopsis Cell Culture Peroxisomes *Plant Physiology*, Dec 2008; 148: 1809 - 1829. DOI: [10.1104/pp.108.129999](https://doi.org/10.1104/pp.108.129999)

Eulberg D, Buchner K, Maasch C, Klusmann S. Development of an automated in vitro selection protocol to obtain RNA-based aptamers: identification of a biostable substance P antagonist. *Nucleic Acids Res.* 2005;33(4):e45. Published 2005 Mar 3. [doi:10.1093/nar/gni044](https://doi.org/10.1093/nar/gni044)

Ferrando A, Koncz-Kálmán Z, Farràs R, Tiburcio A, Schell J, Koncz C. Detection of in vivo protein interactions between Snf1-related kinase subunits with intron-tagged epitope-labelling in plants cells. *Nucleic Acids Res.* 2001 Sep 1;29(17):3685-93. [doi: 10.1093/nar/29.17.3685](https://doi.org/10.1093/nar/29.17.3685)

Scott Ficarro, Olga Chertihin, V. Anne Westbrook, Forest White, Friederike Jayes, Petr Kalab, Jarrod A. Marto, Jeffrey Shabanowitz, John C. Herr, Donald F. Hunt, and Pablo E. Visconti Phosphoproteome Analysis of Capacitated Human Sperm. Evidence of Tyrosine Phosphorylation of a Kinase-Anchoring Protein 3 and Valosin-Containing Protein/P97 During Capacitation *J. Biol. Chem.*, Mar 2003; 278: 11579 - 11589. DOI: [10.1074/jbc.M202325200](https://doi.org/10.1074/jbc.M202325200)

J. Fleck Chemical Fate of a Metamorphic Inducer in Larvae-like Buds of the Cnidarian *Cassiopea andromeda* *Biol. Bull.*, Feb 1998; 194: 83. DOI: [10.2307/1542516](https://doi.org/10.2307/1542516)

Ford MM, Smythers AL, McConnell EW, Lowery SC, Kolling DRJ, Hicks LM. Inhibition of TOR in *Chlamydomonas reinhardtii* Leads to Rapid Cysteine Oxidation Reflecting Sustained Physiological Changes. *Cells.* 2019;8(10):1171. Published 2019 Sep 28. [doi:10.3390/cells8101171](https://doi.org/10.3390/cells8101171)

Frei A. P. et al. (2013) Ligand-based receptor identification on living cells and tissues using TRICEPS; *Nature Protocols* 8, 1321–1336 <https://www.nature.com/articles/nprot.2013.072>

Frey S, Görlich D. Purification of protein complexes of defined subunit stoichiometry using a set of orthogonal, tag-cleaving proteases. *J Chromatogr A.* 2014;1337:106-115. [doi:10.1016/j.chroma.2014.02.030](https://doi.org/10.1016/j.chroma.2014.02.030)

Frindert J, Zhang Y, Nübel G, et al. Identification, Biosynthesis, and Decapping of NAD-Capped RNAs in *B. subtilis*. *Cell Rep.* 2018;24(7):1890-1901.e8. [doi:10.1016/j.celrep.2018.07.047](https://doi.org/10.1016/j.celrep.2018.07.047)

Gadeyne A, Sánchez-Rodríguez C, Vanneste S, Di Rubbo S, Zauber H, Vanneste K, Van Leene J, De Winne N, Eeckhout D, Persiau G, Van De Slijke E, Cannoot B, Vercruysse L, Mayers JR, Adamowski M, Kania U, Ehrlich M, Schweighofer A, Ketelaar T, Maere S, Bednarek SY, Friml J, Gevaert K, Witters E, Russinova E, Persson S, De Jaeger G, Van Damme D. The TPLATE adaptor complex drives clathrin-mediated endocytosis in plants. *Cell*. 2014 Feb 13;156(4):691-704. doi.org/10.1016/j.cell.2014.01.039. PMID: 24529374.

Gandbhir O, Sundaram P. 'Amytrapper', a Novel Immobilized Sepharose API Matrix, Removes Amyloid- β from Circulation *in vitro*. *J Alzheimers Dis Rep*. 2019;3(1):19-29. Published 2019 Feb 4. [doi:10.3233/ADR-180093](https://doi.org/10.3233/ADR-180093)

Marcin Gierdalski and Sharon L. Juliano Factors Affecting the Morphology of Radial Glia, *Cereb Cortex*, Jun 2003; 13: 572 - 579. DOI: [10.1093/cercor/13.6.572](https://doi.org/10.1093/cercor/13.6.572)

González-Fortes G, Jones E, Lightfoot E et al. Paleogenomic Evidence for Multi-generational Mixing between Neolithic Farmers and Mesolithic Hunter-Gatherers in the Lower Danube Basin. *Current Biology*. 2017;27(12):1801-1810.e10. [doi:10.1016/j.cub.2017.05.023](https://doi.org/10.1016/j.cub.2017.05.023)

Goossens J, De Geyter N, Walton A, et al. Isolation of protein complexes from the model legume *Medicago truncatula* by tandem affinity purification in hairy root cultures. *Plant J*. 2016;88(3):476-489. [doi:10.1111/tpj.13258](https://doi.org/10.1111/tpj.13258)

Groseclose MR, Andersson M, Hardesty WM, Caprioli RM. Identification of proteins directly from tissue: in situ tryptic digestions coupled with imaging mass spectrometry. *J Mass Spectrom*. 2007 Feb;42(2):254-62. [doi:10.1002/jms.1177](https://doi.org/10.1002/jms.1177)

Albrecht Gruhler, Jesper V. Olsen, Shabaz Mohammed, Peter Mortensen, Nils J. Færgeman, Matthias Mann, and Ole N. Jensen Quantitative Phosphoproteomics Applied to the Yeast Pheromone Signaling Pathway *Mol. Cell. Proteomics*, Mar 2005; 4: 310 - 327. DOI: [10.1074/mcp.M400219-MCP200](https://doi.org/10.1074/mcp.M400219-MCP200)

Gu S, Kumar M, Sikorska B et al. Isolation and partial characterization of a highly divergent lineage of hantavirus from the European mole (*Talpa europaea*). *Sci Rep*. 2016;6(1). [doi:10.1038/srep21119](https://doi.org/10.1038/srep21119)

Hecht M, Rösler R, Wiese S, Johnsson N, Gronemeyer T. An Interaction Network of the Human SEPT9 Established by Quantitative Mass Spectrometry. *G3 (Bethesda)*. 2019;9(6):1869-1880. Published 2019 Jun 5. [doi:10.1534/g3.119.400197](https://doi.org/10.1534/g3.119.400197)

J. Hedegaard, SA Steffensen, N Norskov-Lauritsen, KK Mortensen, and HU Sperling-Petersen Identification of Enterobacteriaceae by partial sequencing of the gene encoding translation initiation factor 2 *Int. J. Syst. Bacteriol.*, Oct 1999; 49: 1531. DOI: [10.1099/00207713-49-4-1531](https://doi.org/10.1099/00207713-49-4-1531)

Heijde M, Binkert M, Yin R, Ares-Orpel F, Rizzini L, Van De Slijke E, Persiau G, Nolf J, Gevaert K, De Jaeger G, Ulm R. Constitutively active UVR8 photoreceptor variant in Arabidopsis. *Proc Natl Acad Sci U S A*. 2013 Dec 10;110(50):20326-31. [doi: 10.1073/pnas.1314336110](https://doi.org/10.1073/pnas.1314336110)

Klaus Hellmuth, Denise M. Lau, F. Ralf Bischoff, Markus Künzler, Ed Hurt, and George Simos. Cell and Organelle Structure and Assembly: Yeast Los1p has Properties of an Exportin-Like NucleocytoplasmicTransport Factor for tRNA. <https://doi.org/10.1128/MCB.18.11.6165>

Jeff Holderness, Larissa Jackiw, Emily Kimmel, Hannah Kerns, Miranda Radke, Jodi F. Hedges, Charles Petrie, Patrick McCurley, Pati M. Glee, Aiyappa Palecanda, and Mark A. Jutila Select Plant Tannins Induce IL-2R α Up-Regulation and Augment Cell Division in $\gamma\delta$ T Cells *J. Immunol.*, Nov 2007; 179: 6468 - 6478. DOI: [10.4049/jimmunol.179.10.6468](https://doi.org/10.4049/jimmunol.179.10.6468)

Ilavenil S, Al-Dhabi NA, Srigopalram S, et al. Removal of SDS from biological protein digests for proteomic analysis by mass spectrometry. *Proteome Sci.* 2016;14(1):11. Published 2016 Sep 6. [doi:10.1186/s12953-016-0098-5](https://doi.org/10.1186/s12953-016-0098-5)

Iqbal M, Poole E, Goodbourn S, McCauley JW. Role for bovine viral diarrhoea virus Erns glycoprotein in the control of activation of beta interferon by double-stranded RNA. *J Virol.* 2004;78(1):136-145. [doi:10.1128/jvi.78.1.136-145.2004](https://doi.org/10.1128/jvi.78.1.136-145.2004)

Irvine SQ. Whole-mount in situ hybridization of small invertebrate embryos using laboratory mini-columns. *Biotechniques.* 2007;43(6):764-768. [doi:10.2144/000112617](https://doi.org/10.2144/000112617)

Jappe EC, Garde C, Ramarathinam SH, et al. Thermostability profiling of MHC-bound peptides: a new dimension in immunopeptidomics and aid for immunotherapy design. *Nat Commun.* 2020;11(1):6305. Published 2020 Dec 9. [doi:10.1038/s41467-020-20166-4](https://doi.org/10.1038/s41467-020-20166-4)

Kang HJ, Gu SH, Cook JA, Yanagihara R. Dahonggou Creek virus, a divergent lineage of hantavirus harbored by the long-tailed mole (*Scaptonyx fuscicaudus*). *Trop Med Health.* 2016;44:16. Published 2016 Jun 20. [doi:10.1186/s41182-016-0017-6](https://doi.org/10.1186/s41182-016-0017-6)

Keil B. Tho1 is necessary for recruitment of transcription elongation factors and nuclear mRNP assembly. *JLUpub.* 2021. [doi:10.22029/jlupub-448](https://doi.org/10.22029/jlupub-448)

Kita Y, Miura Y, Furukawa J, et al. Quantitative glycomics of human whole serum glycoproteins based on the standardized protocol for liberating N-glycans. *Mol Cell Proteomics.* 2007;6(8):1437-1445. [doi:10.1074/mcp.T600063-MCP200](https://doi.org/10.1074/mcp.T600063-MCP200)

Koba R, Suzuki S, Sato G, et al. Identification and characterization of a novel bat polyomavirus in Japan [published online ahead of print, 2020 Aug 20]. *Virus Genes.* 2020;1-5. [doi:10.1007/s11262-020-01789-7](https://doi.org/10.1007/s11262-020-01789-7)

Kosmacz M, Gorka M, Schmidt S, et al. Protein and metabolite composition of Arabidopsis stress granules. *New Phytol.* 2019;222(3):1420-1433. [doi:10.1111/nph.15690](https://doi.org/10.1111/nph.15690)

Florian Krötz, Barbara Engelbrecht, Martin A. Buerkle, Florian Bassermann, Hanna Bridell, Torsten Gloe, Justus Duyster, Ulrich Pohl, and Hae-Young Sohn The Tyrosine Phosphatase, SHP-1, Is a Negative Regulator of Endothelial Superoxide Formation *J. Am. Coll. Cardiol.*, May 2005; 45: 1700 - 1706. DOI: [10.1016/j.jacc.2005.02.039](https://doi.org/10.1016/j.jacc.2005.02.039)

Kyriakakis P, Tipping M, Abed L, Veraksa A. Tandem affinity purification in Drosophila: the advantages of the GS-TAP system. *Fly (Austin).* 2008;2(4):229-235. [doi:10.4161/fly.6669](https://doi.org/10.4161/fly.6669)

Leal-Esteban LC, Rothé B, Fortier S, Isenschmid M, Constam DB. Role of Bicaudal C1 in renal gluconeogenesis and its novel interaction with the CTLH complex. *PLoS Genet.* 2018;14(7):e1007487. Published 2018 Jul 11. [doi:10.1371/journal.pgen.1007487](https://doi.org/10.1371/journal.pgen.1007487)

Jelle Van Leene, Hilde Stals, Dominique Eeckhout, Geert Persiau, Eveline Van De Slijke, Gert, Van Isterdael, Annelies De Clercq, Eric Bonnet, Kris Laukens, Noor Remmerie, Kim Henderickx, Thomas De Vijlder, Azmi Abdelkrim, Anne Pharazyn, Harry Van Onckelen, Dirk Inzé, Erwin Witters, and Geert De Jaeger A Tandem Affinity Purification-based Technology Platform to Study the Cell Cycle Interactome in Arabidopsis thaliana *Mol. Cell. Proteomics*, Jul 2007; 6: 1226 - 1238. DOI: [10.1074/mcp.M700078-MCP200](https://doi.org/10.1074/mcp.M700078-MCP200)

R.E. Leube, U. Leimer, C. Grund, W.W. Franke, N. Harth, and B. Wiedenmann Sorting of synaptophysin into special vesicles in nonneuroendocrine epithelial cells *J. Cell Biol.*, Dec 1994; 127: 1589. DOI: [10.1083/jcb.127.6.1589](https://doi.org/10.1083/jcb.127.6.1589)

Lifka S, Ponomarev I, Weth A, Baumgartner D, Lamprecht B, Baumgartner W. A simple and cheap aerosol penetrometer for filter testing using an electronic cigarette. *Open Research Europe*. 2021;1:5. [doi:10.12688/openreseurope.13087.2](https://doi.org/10.12688/openreseurope.13087.2)

Lohse J, Schindl A, Danda N, Williams CP, Kramer K, Kuster B, Witte MD, Médard G. Target and identify: triazene linker helps identify azidation sites of labelled proteins via click and cleave strategy. *Chem Commun (Camb)*. 2017 Oct 31;53(87):11929-11932. [doi: 10.1039/c7cc07001b](https://doi.org/10.1039/c7cc07001b).

Jérémy Lothier, Bertrand Lasseur, Katrien Le Roy, André Van Laere, Marie-Pascale Prud'homme, Philippe Barre, Wim Van den Ende, and Annette Morvan-Bertrand Cloning, gene mapping, and functional analysis of a fructan 1-exohydrolase (1-FEH) from *Lolium perenne* implicated in fructan synthesis rather than in fructan mobilization *J. Exp. Bot.*, Jun 2007; 58: 1969 - 1983. DOI: [10.1093/jxb/erm053](https://doi.org/10.1093/jxb/erm053)

Luzarowski M, Kosmacz M, Sokolowska E, et al. Affinity purification with metabolomic and proteomic analysis unravels diverse roles of nucleoside diphosphate kinases. *J Exp Bot*. 2017;68(13):3487-3499. [doi:10.1093/jxb/erx183](https://doi.org/10.1093/jxb/erx183)

MacConnell AB, McEnaney PJ, Cavett VJ, Paegel BM. DNA-Encoded Solid-Phase Synthesis: Encoding Language Design and Complex Oligomer Library Synthesis. *ACS Comb Sci*. 2015;17(9):518-534. [doi:10.1021/acscombsci.5b00106](https://doi.org/10.1021/acscombsci.5b00106)

MacConnell AB, Price AK, Paegel BM. An Integrated Microfluidic Processor for DNA-Encoded Combinatorial Library Functional Screening. *ACS Comb Sci*. 2017;19(3):181-192. [doi:10.1021/acscombsci.6b00192](https://doi.org/10.1021/acscombsci.6b00192)

Maeda K. *et al.* (2014) A generic protocol for the purification and characterization of water-soluble complexes of affinity-tagged proteins and lipids; *Nature Protocols* 9, 2256–2266. DOI: [10.1038/nprot.2014.148](https://doi.org/10.1038/nprot.2014.148)

A. Magrelli, K Langenkemper, C Dehio, J Schell, and A Spena Splicing of the *rolA* transcript of *Agrobacterium rhizogenes* in *Arabidopsis* *Science*, Dec 1994; 266: 1986 - 1988. DOI: [10.1126/science.7528444](https://doi.org/10.1126/science.7528444)

Majerská J, Redon S, Lingner J. Quantitative telomeric chromatin isolation protocol for human cells. *Methods*. 2017;114:28-38. [doi:10.1016/j.ymeth.2016.08.003](https://doi.org/10.1016/j.ymeth.2016.08.003)

Marini F, Wood RD. A human DNA helicase homologous to the DNA cross-link sensitivity protein Mus308. *J Biol Chem*. 2002;277(10):8716-8723. [doi:10.1074/jbc.M110271200](https://doi.org/10.1074/jbc.M110271200)

Mattecka S, Brunner P, Hähnel B, Kunze R, Vogt B, Sheriff A. PentraSorb C-Reactive Protein: Characterization of the Selective C-Reactive Protein Adsorber Resin. *Ther Apher Dial*. 2019;23(5):474-481. [doi:10.1111/1744-9987.12796](https://doi.org/10.1111/1744-9987.12796)

Meier-Menches SM, Zappe K, Bileck A, et al. Time-dependent shotgun proteomics revealed distinct effects of an organoruthenium prodrug and its activation product on colon carcinoma cells. *Metallomics*. 2019;11(1):118-127. [doi:10.1039/c8mt00152a](https://doi.org/10.1039/c8mt00152a)

Modak SS, Barber CA, Geva E, Abrams WR, Malamud D, Ongagna YS. Rapid Point-of-Care Isothermal Amplification Assay for the Detection of Malaria without Nucleic Acid Purification. *Infect Dis (Auckl)*. 2016;9:1-9. Published 2016 Jan 20. [doi:10.4137/IDRT.S32162](https://doi.org/10.4137/IDRT.S32162)

Montellese C, Montel-Lehry N, Henras AK, Kutay U, Gleizes PE, O'Donohue MF. Poly(A)-specific ribonuclease is a nuclear ribosome biogenesis factor involved in human 18S rRNA maturation. *Nucleic Acids Res*. 2017;45(11):6822-6836. [doi:10.1093/nar/gkx253](https://doi.org/10.1093/nar/gkx253)

Heidemarie Müllner, Günter Deutsch, Erich Leitner, Elisabeth Ingolic, and Günther Daum YEH2/YLR020c Encodes a Novel Steryl Ester Hydrolase of the Yeast *Saccharomyces cerevisiae* J. Biol. Chem., Apr 2005; 280: 13321 – 13328. DOI: [10.1074/jbc.M409914200](https://doi.org/10.1074/jbc.M409914200)

Narayan V, Eckert M, Zylicz A, Zylicz M, Ball KL. Cooperative regulation of the interferon regulatory factor-1 tumor suppressor protein by core components of the molecular chaperone machinery. *J Biol Chem*. 2009 Sep 18;284(38):25889-99. [doi: 10.1074/jbc.M109.019505](https://doi.org/10.1074/jbc.M109.019505)

Niederhoff K, Meindl-Beinker NM, Kerssen D, et al. Yeast Pex14p possesses two functionally distinct Pex5p and one Pex7p binding sites. *J Biol Chem*. 2005;280(42):35571-35578. [doi:10.1074/jbc.M502460200](https://doi.org/10.1074/jbc.M502460200)

Thomas S. Nühse, Thomas Boller, and Scott C. Peck A Plasma Membrane Syntaxin Is Phosphorylated in Response to the Bacterial Elicitor Flagellin J. Biol. Chem., Nov 2003; 278: 45248 - 45254. DOI: [10.1074/jbc.M307443200](https://doi.org/10.1074/jbc.M307443200)

Thomas S. Nühse, Allan Stensballe, Ole N. Jensen, and Scott C. Peck Large-scale Analysis of in Vivo Phosphorylated Membrane Proteins by Immobilized Metal Ion Affinity Chromatography and Mass Spectrometry Mol. Cell. Proteomics, Nov 2003; 2: 1234. DOI: [10.1074/mcp.T300006-MCP200](https://doi.org/10.1074/mcp.T300006-MCP200)

Okuno Y, Yamazaki Y, Fukutomi H, et al. A Novel Surface Modification and Immobilization Method of Anti-CD25 Antibody on Nonwoven Fabric Filter Removing Regulatory T Cells Selectively. *ACS Omega*. 2019;5(1):772-780. Published 2019 Dec 30. [doi:10.1021/acsomega.9b03494](https://doi.org/10.1021/acsomega.9b03494)

Ortega A, Niksic M, Bachi A, et al. Biochemical function of female-lethal (2)D/Wilms' tumor suppressor-1-associated proteins in alternative pre-mRNA splicing. *J Biol Chem*. 2003;278(5):3040-3047. [doi:10.1074/jbc.M210737200](https://doi.org/10.1074/jbc.M210737200)

Pabst TM, Wendeler M, Wang X, Bezemer S, Hermans P, Hunter AK. Camelid V_H H affinity ligands enable separation of closely related biopharmaceuticals. *Biotechnol J*. 2017;12(2):1600357. [doi:10.1002/biot.201600357](https://doi.org/10.1002/biot.201600357)

Paine-Saunders S, Viviano BL, Economides AN, Saunders S. Heparan sulfate proteoglycans retain Noggin at the cell surface: a potential mechanism for shaping bone morphogenetic protein gradients. *J Biol Chem*. 2002;277(3):2089-2096. [doi:10.1074/jbc.M109151200](https://doi.org/10.1074/jbc.M109151200)

Pearson RJ, Morf L, Singh U. Regulation of H₂O₂ stress-responsive genes through a novel transcription factor in the protozoan pathogen *Entamoeba histolytica*. *J Biol Chem*. 2013;288(6):4462-4474. doi:[10.1074/jbc.M112.423467](https://doi.org/10.1074/jbc.M112.423467)

Peters S, Keller F. Frost tolerance in excised leaves of the common bugle (*Ajuga reptans* L.) correlates positively with the concentrations of raffinose family oligosaccharides (RFOs). *Plant Cell Environ*. 2009;32(8):1099-1107. doi:[10.1111/j.1365-3040.2009.01991.x](https://doi.org/10.1111/j.1365-3040.2009.01991.x)

Shaun Peters, Sagadevan G. Mundree, Jennifer A. Thomson, Jill M. Farrant, and Felix Keller Protection mechanisms in the resurrection plant *Xerophyta viscosa* (Baker): both sucrose and raffinose family oligosaccharides (RFOs) accumulate in leaves in response to water deficit *J. Exp. Bot.*, Jun 2007; 58: 1947 - 1956. DOI: [10.1093/jxb/erm056](https://doi.org/10.1093/jxb/erm056)

Stephanie Pfander, Roberto Fiammengo, Srecko I. Kirin, Nils Metzler-Nolte, and Andres Jäschke Reversible site-specific tagging of enzymatically synthesized RNAs using aldehyde-hydrazine chemistry and protease-cleavable linkers *Nucleic Acids Res.*, Feb 2007; 35: e25. doi: [10.1093/nar/gkl1110](https://doi.org/10.1093/nar/gkl1110)

K. Pfeifer, M Bachmann, HC Schroder, BE Weiler, D Ugarkovic, T Okamoto, and WE Muller Formation of a small ribonucleoprotein particle between Tat protein and trans-acting response element in human immunodeficiency virus-infected cells *J. Biol. Chem.*, Aug 1991; 266: 14620 - 14626. DOI:[https://doi.org/10.1016/S0021-9258\(18\)98731-4](https://doi.org/10.1016/S0021-9258(18)98731-4)

Porubsky St. *et al.* (2004) Influence of native and hypochlorite-modified low density lipoprotein on gene expression in human proximal tubular epithelium; *Am. J. Pathol.* 164, 2175-2187 doi: [10.1016/S0002-9440\(10\)63775-3](https://doi.org/10.1016/S0002-9440(10)63775-3)

A. Pries, H. Priefert, N. Krüger, and A Steinbüchel.. Identification and characterization of two *Alcaligenes eutrophus* gene loci relevant to the poly(beta-hydroxybutyric acid)-leaky phenotype which exhibit homology to ptsH and ptsI of *Escherichia coli*. *J. Bacteriol.*, Sep 1991; 173: 5843 - 5853. DOI: [10.1128/jb.173.18.5843-5853.1991](https://doi.org/10.1128/jb.173.18.5843-5853.1991)

Werner G. Purschke, Falko Radtke, Frank Kleinjung, and Sven Klussmann A DNA Spiegelmer to staphylococcal enterotoxin B *Nucleic Acids Res.*, Jun 2003; 31: 3027 - 3032. doi: [10.1093/nar/gkg413](https://doi.org/10.1093/nar/gkg413)

Juri Rappsilber, Paul Ajuh, Angus I. Lamond, and Matthias Mann SPF30 Is an Essential Human Splicing Factor Required for Assembly of the U4/U5/U6 Tri-small Nuclear Ribonucleoprotein into the Spliceosome *J. Biol. Chem.*, Aug 2001; 276: 31142 - 31150. DOI: [10.1074/jbc.M103620200](https://doi.org/10.1074/jbc.M103620200)

B. Ashok Reddy, Prashanth Kumar Bajpe, Andrew Bassett, Yuri M. Moshkin, Elena Kozhevnikova, Karel Bezstarosti, Jeroen A.A. Demmers, Andrew A. Travers, and C. Peter Verrijzer *Drosophila* Transcription Factor Tramtrack69 Binds MEP1 to Recruit the Chromatin Remodeler NuRD *Mol. Cell. Biol.*, Aug 2010; 30: 10266-10276. DOI: [10.1128/MCB.00266-10](https://doi.org/10.1128/MCB.00266-10)

Sonja Reiland, Gaëlle Messerli, Katja Baerenfaller, Bertran Gerrits, Anne Endler, Jonas Grossmann, Wilhelm Gruissem, and Sacha Baginsky Large-Scale Arabidopsis Phosphoproteome Profiling Reveals Novel Chloroplast Kinase Substrates and Phosphorylation Networks *Plant Physiology*, Jun 2009; 150: 889 - 903. DOI: [10.1104/pp.109.138677](https://doi.org/10.1104/pp.109.138677)

Riedel F, Galindo A, Muschalik N, Munro S. The two TRAPP complexes of metazoans have distinct roles and act on different Rab GTPases. *J Cell Biol.* 2018;217(2):601-617. [doi:10.1083/jcb.201705068](https://doi.org/10.1083/jcb.201705068)

Roitinger E, Hofer M, Köcher T, et al. Quantitative phosphoproteomics of the ataxia telangiectasia-mutated (ATM) and ataxia telangiectasia-mutated and rad3-related (ATR) dependent DNA damage response in Arabidopsis thaliana. *Mol Cell Proteomics.* 2015;14(3):556-571. [doi:10.1074/mcp.M114.040352](https://doi.org/10.1074/mcp.M114.040352)

J. Ronnenberg, B. Preitz, G. Wostemeier, and S. Diekmann Immobilized residue-specific endoproteases for protein sequencing. *J Chromatogr B Biomed Appl*, Jun 1994; 656(1): 169-77. DOI: [10.1016/0378-4347\(94\)00076-x](https://doi.org/10.1016/0378-4347(94)00076-x)

Rössler I, Embacher J, Pillet B, et al. Tsr4 and Nap1, two novel members of the ribosomal protein chaperONE. *Nucleic Acids Res.* 2019;47(13):6984-7002. [doi:10.1093/nar/gkz317](https://doi.org/10.1093/nar/gkz317)

Sachsenröder J. *et al.* (2014) The general composition of the faecalvirome of pigs depends on age, but not on feeding with a probiotic bacterium; PLOS ONE 9 (2) e88888 <https://doi.org/10.1371/journal.pone.0088888>

Sancar G, Sancar C, Brunner M, Schafmeier T. Activity of the circadian transcription factor White Collar Complex is modulated by phosphorylation of SP-motifs. *FEBS Lett.* 2009;583(12):1833-1840. [doi:10.1016/j.febslet.2009.04.042](https://doi.org/10.1016/j.febslet.2009.04.042)

N. M. Sawtell, D. K. Poon, C. S. Tansky, and R. L. Thompson The Latent Herpes Simplex Virus Type 1 Genome Copy Number in Individual Neurons Is Virus Strain Specific and Correlates with Reactivation *J. Virol.*, Jul 1998; 72: 5343 - 5350. DOI: [10.1128/JVI.72.7.5343-5350.1998](https://doi.org/10.1128/JVI.72.7.5343-5350.1998)

Schneider J. *et al.* (2004) Systematic analysis of T7 RNA polymerase based *in vitro* linear RNA amplification for use in microarray experiments; BMC Genomics 5 (29) 1471-2164. <https://bmcbgenomics.biomedcentral.com/articles/10.1186/1471-2164-5-29>

Schoppe J, Schubert E, Apelbaum A, et al. Flexible open conformation of the AP-3 complex explains its role in cargo recruitment at the Golgi. *Journal of Biological Chemistry.* 2021. [doi:10.1016/j.jbc.2021.101334](https://doi.org/10.1016/j.jbc.2021.101334)

Shanmugabalaji V, Douet V, Agne B, Kessler F. Affinity Purification of Chloroplast Translocon Protein Complexes Using the TAP Tag. *J Vis Exp.* 2018;(141):10.3791/58532. Published 2018 Nov 1. [doi:10.3791/58532](https://doi.org/10.3791/58532)

Siniosoglou S, Hurt EC, Pelham HR. Psr1p/Psr2p, two plasma membrane phosphatases with an essential DXDX(T/V) motif required for sodium stress response in yeast. *J Biol Chem.* 2000;275(25):19352-19360. [doi:10.1074/jbc.M001314200](https://doi.org/10.1074/jbc.M001314200)

Smith F, Gabriel W. Embryonic Immunostaining for the Tardigrade *Hypsibius exemplaris*. *Cold Spring Harb Protoc.* 2018;2018(11):pdb.prot102343. [doi:10.1101/pdb.prot102343](https://doi.org/10.1101/pdb.prot102343)

Smythers AL, McConnell EW, Lewis HC, Mubarek SN, Hicks LM. Photosynthetic Metabolism and Nitrogen Reshuffling Are Regulated by Reversible Cysteine Thiol Oxidation Following Nitrogen Deprivation in *Chlamydomonas*. *Plants (Basel).* 2020;9(6):784. Published 2020 Jun 23. [doi:10.3390/plants9060784](https://doi.org/10.3390/plants9060784)

Struk S, Braem L, Walton A, et al. Quantitative Tandem Affinity Purification, an Effective Tool to Investigate Protein Complex Composition in Plant Hormone Signaling: Strigolactones in the Spotlight. *Front Plant Sci.* 2018;9:528. Published 2018 Apr 26. [doi:10.3389/fpls.2018.00528](https://doi.org/10.3389/fpls.2018.00528)

Tan JL, Ward L, Truscott KN, Dougan DA. The N-end rule adaptor protein ClpS from *Plasmodium falciparum* exhibits broad substrate specificity. *FEBS Lett.* 2016;590(19):3397-3406. doi:[10.1002/1873-3468.12382](https://doi.org/10.1002/1873-3468.12382)

Thomas JR, Brittain SM, Lipps J, Llamas L, Jain RK, Schirle M. A Photoaffinity Labeling-Based Chemoproteomics Strategy for Unbiased Target Deconvolution of Small Molecule Drug Candidates. *Methods Mol Biol.* 2017;1647:1-18. doi:[10.1007/978-1-4939-7201-2_1](https://doi.org/10.1007/978-1-4939-7201-2_1)

Richard L. Thompson and N. M. Sawtell Pathogenesis and Immunity: Replication of Herpes Simplex Virus Type 1 within Trigeminal Ganglia Is Required for High Frequency but Not High Viral Genome Copy Number Latency J. Virol., Jan 2000; 74: 965 - 974. DOI: [10.1128/jvi.74.2.965-974.2000](https://doi.org/10.1128/jvi.74.2.965-974.2000)

R. L. Thompson and N. M. Sawtell Pathogenesis and Immunity: Herpes Simplex Virus Type 1 Latency-Associated Transcript Gene Promotes Neuronal Survival J. Virol., Jul 2001; 75: 6660 - 6675. DOI: [10.1128/JVI.75.14.6660-6675.2001](https://doi.org/10.1128/JVI.75.14.6660-6675.2001)

Thoms M, Ahmed YL, Maddi K, Hurt E, Sinning I. Concerted removal of the Erb1-Ytm1 complex in ribosome biogenesis relies on an elaborate interface. *Nucleic Acids Res.* 2016;44(2):926-939. doi:[10.1093/nar/gkv1365](https://doi.org/10.1093/nar/gkv1365)

Trojaner E. *et al.* (2009) The first complete genome sequence of a chicken group A rotavirus indicates independent evolution of mammalian and avian strains; *Virology* 386 (2) 325–333. <https://doi.org/10.1016/j.virol.2009.01.034>

Van Leene, Jelle et al. A Tandem Affinity Purification-based Technology Platform to Study the Cell Cycle Interactome in *Arabidopsis thaliana** (2007) . *Molecular & Cellular Proteomics*, Volume 6, Issue 7, 1226 – 1238 DOI: [10.1074/mcp.M700078-MCP200](https://doi.org/10.1074/mcp.M700078-MCP200)

Vargas-Muñoz M, Danchana K, Cerdà V, Palacio E. Field-deployable method for iron analysis using a simple preconcentration procedure and a 3D portable spectrophotometric system. *Microchemical Journal.* 2021;170:106774. doi:[10.1016/j.microc.2021.106774](https://doi.org/10.1016/j.microc.2021.106774)

W. Voos, B. D. Gambill, S. Laloraya, D. Ang, E. A. Craig, and N. Pfanner Mitochondrial GrpE is present in a complex with hsp70 and preproteins in transit across membranes. *Mol. Cell. Biol.*, Oct 1994; 14: 6627 - 6634. doi: [10.1128/mcb.14.10.6627](https://doi.org/10.1128/mcb.14.10.6627)

F. T. Vreede and G. G. Brownlee Influenza Virion-Derived Viral Ribonucleoproteins Synthesize both mRNA and cRNA In Vitro J. Virol., Mar 2007; 81: 2196 - 2204. doi: [10.1128/JVI.02187-06](https://doi.org/10.1128/JVI.02187-06)

Weiße C, Dittmar D, Jakóbczak B, et al. Immunogenicity and protective efficacy of a *Streptococcus suis* vaccine composed of six conserved immunogens. *Vet Res.* 2021;52(1):112. Published 2021 Aug 25. doi:[10.1186/s13567-021-00981-3](https://doi.org/10.1186/s13567-021-00981-3)

Weissman J, Guthrie C, Fink GR. *Guide to Yeast Genetics Functional Genomics, Proteomics, and Other Systems Analysis* 2nd ed. Amsterdam; Elsevier/AP, 2010. Print.

Winkler L, Gehring C, Wenzel A, et al. Molecular determinants of the interaction between *Clostridium perfringens* enterotoxin fragments and claudin-3. *J Biol Chem.* 2009;284(28):18863-18872. doi:[10.1074/jbc.M109.008623](https://doi.org/10.1074/jbc.M109.008623)

Wissing J, Jänsch L, Nimtz M, et al. Proteomics analysis of protein kinases by target class-selective prefractionation and tandem mass spectrometry. *Mol Cell Proteomics*. 2007;6(3):537-547. doi:[10.1074/mcp.T600062-MCP200](https://doi.org/10.1074/mcp.T600062-MCP200)

Juan Zou, Lorna Henderson, Vicky Thomas, Patricia Swan, A. Neil Turner, and Richard. G. Phelps Presentation of the Goodpasture Autoantigen Requires Proteolytic Unlocking Steps That Destroy Prominent T Cell Epitopes *J. Am. Soc. Nephrol.*, Mar 2007; 18: 771 - 779. DOI:[10.1681/ASN.2006091056](https://doi.org/10.1681/ASN.2006091056)